

New Harris Product Range

Edition I -2009

| Harris Item Number | Current Harris Description | Afrox Item Number | Model and Description | Product Information |
|---|-------------------------------------|-------------------|---|--|
| HANDLES FOR WELDING, HEATING, BRAZING: OXY/DA OR OXY/LPG | | | | |
| 230020 | HAR-HANDLE 43-2 ACET/LPG | W230020 | HANDLE 43-2 ACETYLENE OR LPG | Heavy Duty cutting, welding and heating |
| MIXERS | | | | |
| 230308 | HAR-MIXER E43 | W230308 | MIXER E-43 ACETYLENE | Fits Models 43 & 63 Handles. For Tips 11-16 Series 1290 (Detachable) |
| 230309 | HAR-MIXER E2-43 | W230309 | MIXER E2-43 ACETYLENE | Fits Models 43 & 63 Handles. For Tips 13-22 Series 23-A-90 (Swaged) |
| 230314 | HAR-MIXER F43 | W230314 | MIXER F-43 LPG (HEAVY HEATING) | Fits Model K-43 Heating Torch |
| TIP TUBES AND EXTENSIONS FOR WELDING, BRAZING, HEATING | | | | |
| 230345 | D/HAR-TIP TUBE 1293-6 ACET | W230345 | TIP TUBE 1293-6" ACETYLENE | Fits Models 43& 63 Handles. Uses 1290 Tips 1-12. |
| 230423 | HAR-TIP TUBE 2393-1F LPG | W230423 | TIP TUBE 2393-1F S/S LPG 36" (915MM) | Fits Model K-43 Torches. Uses 2290-H Tips |
| 230424 | HAR-TIP TUBE 2393-2F LPG | W230424 | TIP TUBE 2393-2F S/S LPG 24" (610MM) | |
| TIPS FOR WELDING, HEATING, BRAZING: OXY/ACETYLENE OR OXY/LPG | | | | |
| Series 23-A-90 Swaged welding tips | | | | |
| 230107 | HAR-WELD TIP 23A90 NO.0 | W230107 | WELD TIP 23-A-90 NO. 0 WELDS TO 0.4MM | Uses E-43 Mixer |
| 230108 | HAR-WELD TIP 23A90 NO.1 | W230108 | WELD TIP 23-A-90 NO. 1 WELDS TO 0.8MM | |
| 230110 | HAR-WELD TIP 23A90 NO.3 | W230110 | WELD TIP 23-A-90 NO. 3 WELDS TO 1.6MM | |
| 230112 | HAR-WELD TIP 23A90 NO.5 | W230112 | WELD TIP 23-A-90 NO. 5 WELDS TO 3.2MM | |
| 230113 | HAR-WELD TIP 23A90 NO.6 | W230113 | WELD TIP 23-A-90 NO. 6 WELDS TO 4.8MM | |
| 230115 | HAR-WELD TIP 23A-90 NO.8 | W230115 | WELD TIP 23-A-90 NO. 8 WELDS TO 8.0MM | |
| 230116 | HAR-WELD TIP 23-A-90 NO.10 | W230116 | WELD TIP 23-A-90 NO. 10 WELDS TO 12MM | Uses E2-43 Mixer |
| 230118 | HAR-WELD TIP 23A90 NO.15 | W230118 | WELD TIP 23-A-90 NO. 15 WELDS TO 25.0MM | |
| 230119 | HAR-WELD TIP 23-A-90 13 | W230119 | WELD TIP 23-A-90 NO. 13 WELDS TO 19.0MM | |
| Series J-63 Heating tip assemblies (Acetylene) | | | | |
| 230264 | HAR-HEAT TIP J-63-1 | W230264 | HEATING TIP ASSEMBLY J-63-1 | For use with Model 43 & 63 Handles |
| 230265 | HAR-HEAT TIP ASSY J-63-2 | W230265 | HEATING TIP ASSEMBLY J-63-2 | |
| 230266 | HAR-HEAT TIP J-63-3 | W230266 | HEATING TIP ASSEMBLY J-63-3 | For use with Model 43 Handle |
| 230267 | HAR-HEAT TIP J-63-4 | W230267 | HEATING TIP ASSEMBLY J-63-4 | |
| Series H-62 Heating tips LPG | | | | |
| 230326 | D/HAR-HEAT TIP H-62-1P LPG | W230326 | HEATING TIP H-62-1P | For use with 62-3F Cutting Torch or 49-2F Attachment |
| 230327 | D/HAR H-62-2P Heat Assy. | W230327 | HEATING TIP H-62-2P | |
| 230328 | D/HAR-HEAT TIP H-62-3P LPG | W230328 | HEATING TIP H-62-3P | |
| HAND CUTTING TORCHES: OXY/ACETYLENE | | | | |
| 231001 | HAR-MONARCH TORCH MOD 28 | W231001 | MONARCH 28 CUTTING TORCH 90DEG 51 CMS LONG | Uses Series 2890-F Cutting Tips |
| 231005 | D/HAR-28-BL CUT TORCH 180DEG | W231005 | MONARCH 28 BL CUTTING TORCH 180DEG HEAD 86 CMS LONG | |
| HAND CUTTING TORCHES: OXY/LPG | | | | |
| 231019 | D/HAR-CUTTING TORCH MOD 62-3BF 46CM | W231019 | CUTTING TORCH 62-3BF 180DEG 46 CMS LONG | Use series 6290-NX or 6290-NFF cutting tips |
| 231020 | HAR-CUTTING TORCH 62/3F | W231020 | CUTTING TORCH 62-3F 90DEG 46 CMS LONG | |
| 231023 | D/HAR-MOD62-3AFL 70DEG HEAD | W231023 | CUTTING TORCH 62-3AFL 70DEG 86 CMS LONG | |
| 231030 | D/HAR-TORCH 62-3FL 90X86CM | W231030 | CUTTING TORCH 62-3FL 180DEG 46 CMS LONG | |
| CUTTING ATTACHMENTS: OXY/ACETYLENE | | | | |
| 231009 | HAR-CUT ATT 90DEG HD.49-2 | W231009 | CUTTING ATTACHMENT 49-2 | Fits model 43 handle. Uses Series 6290, 6290-S cutting tips |
| CUTTING ATTACHMENTS: OXY LPG | | | | |
| 231011 | HAR-MODEL 49-2F CUT ATT | W231011 | CUTTING ATTACHMENT 49-2F | Fits model 43 handle. Uses Series 6290-NX or 6290-NFF cutting tips |
| PROFILE MACHINE TORCHES: OXY/ACETYLENE | | | | |
| 231068 | HAR-MODEL 198-2TE PROFILE CUTTER | W231068 | MACHINE CUTTING TORCH 198-2TE 32MM X 250MM | 3 Hose equal pressure. Uses Series 6290-VAX cutting tips |
| PROFILE MACHINE CUTTING TORCHES: OXY/LPG | | | | |
| 231040 | HAR-MOD 133-2F 30MM X 65MM | W231040 | MACHINE CUTTING TORCH 133-2F 30MM X 65MM | 3 Hose universal pressure. Uses Series 6290-VVC and NH Cutting Tips |
| 231044 | HAR-MOD 198-2TF X 250MM | W231044 | MACHINE CUTTING TORCH 198-2TF 32MM X 250MM | |
| TIPS FOR HAND CUTTING TORCHES: OXY/ACETYLENE | | | | |
| Series 2890-F Normal Pre-Heat | | | | |
| 231050 | HAR-NOZZLE CUT 2890 - 0F | W231050 | CUTTING TIP 2890 - 0F CUT TO 3.2MM | To fit Model 28(Monarch) Cutting Torch |
| 231051 | HAR-NOZZLE CUT 2890 - 1F | W231051 | CUTTING TIP 2890 - 1F CUT TO 12.7MM | |
| 231052 | HAR-NOZZLE CUT 2890 - 2F | W231052 | CUTTING TIP 2890 - 2F CUT TO 38MM | |
| 231053 | HAR-NOZZLE CUT 2890 - 3F | W231053 | CUTTING TIP 2890 - 3F CUT TO 100MM | |
| 231054 | HAR-NOZZLE CUT 2890 - 4F | W231054 | CUTTING TIP 2890 - 4F CUT TO 125MM | |
| 231055 | HAR-NOZZLE CUT 2890 - 5F | W231055 | CUTTING TIP 2890 - 5F CUT TO 150MM | |
| 231056 | HAR-NOZZLE CUT 2890 - 6F | W231056 | CUTTING TIP 2890 - 6F CUT TO 200MM | |
| 231057 | HAR-NOZZLE CUT 2890 - 7F | W231057 | CUTTING TIP 2890 - 7F CUT TO 300MM | |
| 231058 | HAR-NOZZLE CUT 2890 - 8F | W231058 | CUTTING TIP 2890 - 8F CUT TO 450MM | |
| Series 6290 Normal Pre-Heat | | | | |
| 231150 | HAR-CUT TIP 6290 0 | W231150 | CUTTING TIP 6290-0 CUT TO 15MM | To fit Models 62-3 Cutting Torch or 49 Cutting Attachments |
| 231151 | HAR-CUT TIP 6290 1 | W231151 | CUTTING TIP 6290-1 CUT TO 25MM | |
| 231152 | HAR-CUT TIP 6290 2 | W231152 | CUTTING TIP 6290-2 CUT TO 50MM | |
| 231153 | HAR-CUT TIP 6290 3 | W231153 | CUTTING TIP 6290-3 CUT TO 100MM | |
| 231392 | HAR-CUT TIP 6290.000 | W231392 | CUTTING TIP 6290-000 CUT TO 5MM | |
| 231393 | HAR-CUT TIP 6290.00 | W231393 | CUTTING TIP 6290-00 CUT TO 10MM | |
| Series 6290-S Heavy Pre-Heat | | | | |
| 231102 | HAR-CUT TIPS 6290 1S | W231102 | CUTTING TIP 6290-1S CUT TO 25MM | To fit Models 62-3 Cutting Torch or 49 Cutting Attachments |
| 231103 | HAR-TIP 6290 2S | W231103 | CUTTING TIP 6290-2S CUT TO 50MM | |
| 231116 | HAR-TIP 6290 3S | W231116 | CUTTING TIP 6290-3S CUT TO 75MM | |
| 231117 | HAR-HEAT TIP HD 6290-4S | W231117 | CUTTING TIP 6290-4S CUT TO 150MM | |
| 231118 | HAR-NOZZLE 6290S 5S | W231118 | CUTTING TIP 6290-5S CUT TO 200MM | |
| 231119 | HAR NOZZLE 6290-6S | W231119 | CUTTING TIP 6290-6S CUT TO 300MM | |
| TIPS FOR HAND CUTTING TORCHES: OXY/LPG | | | | |
| Series 6290-NX Two Piece Normal Pre-Heat | | | | |
| 231092 | D/HAR-CUT TIPS 6290-3/0NX | W231092 | CUTTING TIP 6290-3/0NX CUT TO 5.0MM | To Fit Models 62-3F Cutting Torch or 49-2F Cutting Attachment |
| 231390 | D/HAR-CUT TIPS 6290.00NX | W231390 | CUTTING TIP 6290-00NX CUT TO 10.0MM | |
| 231093 | D/HAR-CUT TIPS 6290.0NX | W231093 | CUTTING TIP 6290-0NX CUT TO 15.0MM | |
| 231094 | D/HAR-CUT TIPS 6290.1NX | W231094 | CUTTING TIP 6290-1NX CUT TO 25.0MM | |
| 231095 | D/HAR-CUT TIPS 6290.2NX | W231095 | CUTTING TIP 6290-2NX CUT TO 50.0MM | |
| 231096 | D/HAR-CUT TIPS 6290.3NX | W231096 | CUTTING TIP 6290-3NX CUT TO 75.0MM | |
| 231097 | D/HAR-CUT TIP 6290.4NX | W231097 | CUTTING TIP 6290-4NX CUT TO 150.0MM | To Fit Model 62-3F Cutting Torch |
| 231098 | D/HAR-CUTTING TIPS 6290.5NX | W231098 | CUTTING TIP 6290-5NX CUT TO 200.0MM | |
| 231099 | D/HAR-CUTTING TIPS 6290.6NX | W231099 | CUTTING TIP 6290-6NX CUT TO 300.0MM | |
| Series 6290NFF Two Piece Heavy Pre-Heat | | | | |
| 231105 | HAR-CUT TIP 6290 - 1NFF | W231105 | CUTTING TIP 6290-1NFF CUT TO 25.0MM | To Fit Models 62-3F Cutting Torch or 49-2F Cutting Attachment |
| 231106 | HAR-CUT TIP 6290 - 2NFF | W231106 | CUTTING TIP 6290-2NFF CUT TO 50.0MM | |

| | | | | |
|--------|--------------------------|---------|--------------------------------------|----------------------------------|
| 231107 | HAR-CUT TIP 6290NFF 3NFF | W231107 | CUTTING TIP 6290-3NFF CUT TO 75.0MM | |
| 231108 | HAR-CUT TIP 6290NFF 4NFF | W231108 | CUTTING TIP 6290-4NFF CUT TO 150.0MM | |
| 231109 | HAR-CUT TIP 6290NFF 5NFF | W231109 | CUTTING TIP 6290-5NFF CUT TO 200.0MM | |
| 231110 | HAR-CUT TIP 6290NFF 6NFF | W231110 | CUTTING TIP 6290-6NFF CUT TO 300.0MM | To Fit Model 62-3F Cutting Torch |

Series 6290-GG Gouging Tips

| | | | | |
|--------|----------------------------|---------|---------------------------------------|----------------------------------|
| 231140 | D/HAR-GOUGING TIP 6290-1GG | W231140 | GOUGING TIP 6290-1GG GOUGE 3MM - 6MM | |
| 231141 | D/HAR-GOUGING TIP 6290-2GG | W231141 | GOUGING TIP 6290-2GG GOUGE 5MM - 9MM | |
| 231142 | D/HAR-GOUGING TIP 6290-3GG | W231142 | GOUGING TIP 6290-3GG GOUGE 6MM - 12MM | To Fit Model 62-3F Cutting Torch |

TIPS FOR MACHINE CUTTING TORCHES: OXY/ACETYLENE

| | | | | |
|--------|----------------------|---------|--|--|
| 231321 | HAR-NOZZLE 6290 1VAX | W231321 | MACHINE CUTTING TIP 6290-1VAX CUT TO 8.0MM | |
| 231322 | HAR-NOZZLE 6290 2VAX | W231322 | MACHINE CUTTING TIP 6290-2VAX CUT TO 15.0MM | |
| 231323 | HAR-NOZZLE 6290 3VAX | W231323 | MACHINE CUTTING TIP 6290-3VAX CUT TO 35.0MM | |
| 231324 | HAR-NOZZLE 6290 4VAX | W231324 | MACHINE CUTTING TIP 6290-4VAX CUT TO 75.0MM | |
| 231325 | HAR-NOZZLE 6290 5VAX | W231325 | MACHINE CUTTING TIP 6290-5VAX CUT TO 150.0MM | |
| 231326 | HAR-NOZZLE 6290 6VAX | W231326 | MACHINE CUTTING TIP 6290-6VAX CUT TO 200.0MM | To fit Model 198 M/C Cutting Torch. For plate up to 8mm use cuttin tip 6290-00NX or 6290-3/0NX |

TIPS FOR MACHINE CUTTING TORCHES: OXY/LPG

| | | | | |
|--------|----------------------------|---------|---|---|
| 231123 | HAR CUT TIP 6290 5/0VVC | W231123 | MACHINE CUTTING TIP 6290-5/0VVC CUT 2 TO 4MM | |
| 231124 | HAR CUT TIP 6290 4/0VVC | W231124 | MACHINE CUTTING TIP 6290-4/0VVC CUT 4 TO 6MM | |
| 231125 | HAR CUT TIP 6290 3/0VVC | W231125 | MACHINE CUTTING TIP 6290-3/0VVC CUT 6 TO 9MM | |
| 231126 | HAR-CUT TIP 6290-00VVC | W231126 | MACHINE CUTTING TIP 6290-00VVC CUT 9 TO 12.5MM | |
| 231127 | HAR CUT TIP 6290-01VVC | W231127 | MACHINE CUTTING TIP 6290-01VVC CUT 12.5 TO 20MM | |
| 231128 | HAR CUT TIP 6290 0 1/2 VVC | W231128 | MACHINE CUTTING TIP 6290-0 1/2 VVC CUT 20 TO 35MM | |
| 231129 | HAR-CUT TIP 6290-1VVC | W231129 | MACHINE CUTTING TIP 6290-1VVC CUT 35 TO 60MM | |
| 231130 | HAR-CUT TIP 6290-1 1/2 VVC | W231130 | MACHINE CUTTING TIP 6290-1 1/2 VVC CUT 60 TO 75MM | |
| 231131 | HAR-NOZZLE 6290-2VVC | W231131 | MACHINE CUTTING TIP 6290-2VVC CUT 75 TO 125MM | |
| 231132 | HAR-NOZZLE 6290-2 1/2 VVC | W231132 | MACHINE CUTTING TIP 6290-2 1/2 VVC CUT 125 TO 150MM | |
| 231133 | HAR-CUT TIP 6290 VVC -3 | W231133 | MACHINE CUTTING TIP 6290-3VVC CUT 150 TO 175MM | |
| 231135 | HAR-CUT TIP 6290-4VVC | W231135 | MACHINE CUTTING TIP 6290-4VVC CUT 175 TO 200MM | |
| 231137 | HAR-NOZZLE 6290-5VVC | W231137 | MACHINE CUTTING TIP 6290-5VVC CUT 200 TO 225MM | |
| 231138 | HAR 6290-5 1/2Vvc Cut Tip | W231138 | MACHINE CUTTING TIP 6290-5 1/2 VVC CUT 225 TO 250MM | To fit Models 198 & 133 M/C Cutting Torches |

REGULATORS & FLOWMETERS

| | | | | |
|--------|-------------------------|---------|---|--|
| 232001 | HAR-MODEL 825-1000K OXY | W232001 | SINGLE STAGE REGULATOR MODEL 825 1000KPA OXYGEN | |
| 232002 | HAR-MODEL 825-400K LPG | W232002 | SINGLE STAGE REGULATOR MODEL 825 400KPA LPG | |
| 232003 | HAR-MODEL 825-150K ACT | W232003 | SINGLE STAGE REGULATOR MODEL 825 150KPA ACETYLENE | Suitable for light workshops, garages, etc |

Multi Stage Cylinder Regulators with Gauges

| | | | | |
|--------|------------------------------|---------|---|---|
| 232009 | D/HAR-MODEL 92-700K NITROGEN | W232009 | MULTI STAGE REGULATOR MODEL 92 700KPA NITROGEN | |
| 232017 | HAR-REG MS OXY 92-700K | W232017 | MULTI STAGE REGULATOR MODEL 92 700KPA OXYGEN | |
| 232018 | HAR-REG MS AC 92-105K | W232018 | MULTI STAGE REGULATOR MODEL 92 105KPA ACETYLENE | |
| 232027 | D/HAR-REG M/S 896-2500K OXY | W232027 | MULTI STAGE REGULATOR MODEL 896 2500KPA OXYGEN | Suitable for mines, workshops, laboratories and heavy engineering works |

Multi-Stage Cylinder Regulators without Gauges

| | | | | |
|--------|----------------------------|---------|---|---|
| 232013 | HAR-REG MS G/L OXY 77-700K | W232013 | MULTI STAGE REGULAOTR MODEL 77 700KPA OXYGEN GAUGELESS | |
| 232015 | HAR-REG M/S G/L AC 77-105K | W232015 | MULTI STAGE REGULATOR MODEL 77 105KPA ACETYLENE GAUGELESS | Suitable for mines, quarries, scrapyards and heavy engineering shops. |

Single Stage Cylinder Regulators High Pressure with Gau

| | | | | |
|--------|------------------------------------|---------|---|--|
| 232037 | D/HAR-REG SS 987-10000K HIGH PRSRE | W232037 | SINGLE STAGE REGUALTOR MODEL 987 10000KPA (100 BAR) | Suitable for industrial and research labs, etc |
| 232306 | D/HAR-REG SS 987-17000K HIGH PRSRE | W232306 | SINGLE STAGE REGUALTOR MODEL 987 17000KPA (170 BAR) | On Oxygen, Nitrogen, Hydrogen, Compressed Air, Argon |

Single Stage High Flow Cylinder Regulator

| | | | | |
|--------|--------------------------------|---------|---|---|
| 232038 | D/HAR H25 Oxy High Flo Cyl Reg | W232038 | SINGLE STAGE REGULATOR MODEL H25 4000KPA (40 BAR) HIGH FLOW | 300 Bar inlet, 40 Bar max.Outlet, Flow over 700m/hr |
|--------|--------------------------------|---------|---|---|

Flowmeter Regulator

| | | | | |
|--------|---------------------------|---------|---|--------------------------------|
| 235005 | HAR-F/METER 825D-30FL-CO2 | W235005 | FLOWMETER REGULATOR MODEL 825D 30FL/CO2 | MIG/TIG Welding at 30lpm CO2 |
| 235006 | HAR-F/METER 25-30FL-AR | W235006 | FLOWMETER REGULATOR MODEL 825D 30FL/ARGON | MIG/TIG Welding at 30lpm Argon |

REGULATOR SALEABLE SPARES

| | | | | |
|--------|----------------------------------|---------|--|--|
| 232090 | HAR-INLET STEM D-77-2C | W232090 | INLET STEM D-77-2C - M15 X1 FINE | To fit Models 825, 896 & New Style 92 & 77 |
| 232122 | HAR-OUTLET NIPPLE 957R | W232122 | OUTLET NIPPLE 957-R RH | To fit Models 92 & 77 Oxygen |
| 232123 | HAR-OUTLET NIPPLE 957L | W232123 | OUTLET NIPPLE 957-R LH | To fit Models 92 & 77 Acetylene |
| 232201 | HAR-6659-2EAW LH INLET NUT | W232201 | INLET NUT 6659-2EAW LH | To fit D-77-2C Inlet Stem |
| 232202 | HAR-6659-2EOW RH INLET NUT | W232202 | INLET NUT 6659-2EOW RH | To fit D-77-2C Inlet Stem |
| 232199 | D/HAR-6659-FED NUT NITROGEN | W232199 | INLET NUT 6659-FED NITROGEN - 1/4" NPT M15 X 1 | To fit Models 92, 987 Nitrogen & 896 |
| 235042 | HAR Harris 6659-Cd Inlet Nut-Co2 | W235042 | INLET NUY 6659-CD CO2 - 1/4" NPT | Fits inlet stem Q-92 CD CO2, Q-92C for Argon |

Flowmeter

| | | | | |
|--------|-------------------------------|---------|--------------------------------------|---|
| 232209 | D/HAR-INLET NUT 6659-2EO R/H | W232209 | INLET NUT 6659-2EO RH - M15 X 1 FINE | Fits D-77-2C Stem on Model 25-30FL Ar |
| 235032 | HAR-INLET STEM D77-2ECD | W235032 | INLET STEM D-77-2ECD - M15 X 1 FINE | Fits on Model 25-30 FL CO2 |
| 235038 | HAR-INLET STEM WASHER 6639-CD | W235038 | NYLON WASHER 6639-CD | Fits D-77-2ECD Stem on Model 25-30 FL/CO2 |
| 235048 | HAR-INLET NUT 6659-E | W235048 | INLET NUT 6659-E - M15 X 1 FINE | Fits D-77-2ECD on Model 25-30 FL CO2 |
| 235083 | HAR-OUTER COVER 80028 | W235083 | REPLACEMENT FLOWMETER TUBE 80028 | |

Pressure Gauges

| | | | | |
|--------|---------------------------|---------|--|--|
| 232107 | HAR-GAUGE 0-250 KPA | W232107 | PRESSURE GAUGE OUTLET 0-250 KPA ACETYLENE 63MM | Outlet pressure fits Model 92 Acetylene Regulator |
| 232108 | HAR-GAUGE 0-28 MPA 63MM | W232108 | PRESSURE GAUGE CONTENTS 0-28MPA OXYGEN 63MM | Cylinder content fits Model 92 Oxygen Regulator |
| 232109 | HAR-GAUGE 0-3500 KPA 63MM | W232109 | PRESSURE GAUGE CONTENTS 0-3500KPA ACETYLENE 63MM | Cylinder content fits Model 92 Acetylene Regulator |
| 232110 | HAR-GAUGE 0-1400 KPA | W232110 | PRESSURE GAUGE OUTLET 0-1400KPA OXYGEN 63MM | Outlet pressure fits Model 92 Oxygen Regulator |

Flashback Arrestors and Quick Release Couplings

Harris Flashback Arrestors

| | | | | |
|--------|----------------------------------|---------|--|---|
| 237084 | HAR-RF53N REG FBA LH 9/16 | W237084 | HARRIS FLASHBACK ARRESTOR DGN 9/16" LH REG MOUNT | Regulator Mount Cylinder or Pipeline. Normal Flow |
| 237085 | HAR-RF53N REG FBA RH 9/16 | W237085 | HARRIS FLASHBACK ARRESTOR DGN 9/16" RH REG MOUNT | Regulator Mount Cylinder or Pipeline. Normal Flow |
| 237086 | HAR-FBA 85-10 LH | W237086 | HARRIS FLASHBACK ARRESTOR DG91N 9/16" LH HIGH FLOW REG MOUNT | Regulator Mount Cylinder or Pipeline. Ultra Flow |
| 237087 | HAR-FBA 85-10 RH | W237087 | HARRIS FLASHBACK ARRESTOR DG91N 9/16" RH HIGH FLOW REG MOUNT | Regulator Mount Cylinder or Pipeline. Ultra Flow |
| 237092 | FLASHBACK ARREST DG91UA 9/16 LH | W237092 | HARRIS FLASHBACK ARRESTOR DG91UA 9/16" LH HIGH FLOW TORCH MOUNT | Torch Mount. High Flow |
| 237093 | FLASHBACK ARREST DG11UA 9/16 R/H | W237093 | HARRIS FLASHBACK ARRESTOR DG91UA 9/16" RH HIGH FLOW TORCH MOUNT | Torch Mount. High Flow |
| 237133 | HAR-FBA TORCH MOUNT 361-LH | W237133 | HARRIS FLASHBACK ARRESTOR GT 9/16" LH TORCH MOUNT | Torch Mount. Normal Flow |
| 237134 | HAR-FBA TORCH MOUNT 361-RH | W237134 | HARRIS FLASHBACK ARRESTOR GT 9/16" RH TORCH MOUNT | Torch Mount. Normal Flow |
| 237035 | HAR-MOD DS2000 AUTO 9/16 LH | W237035 | HARRIS FLASHBACK ARRESTOR DS2000 9/16" LH RESETTABLE HIGH FLOW REG MOUNT | Regulator Mount. High Flow. Resettable |
| 237036 | HAR-MODEL DS2000 AUTO 9/16 RH | W237036 | HARRIS FLASHBACK ARRESTOR DS2000 9/16" RH RESETTABLE HIGH FLOW REG MOUNT | Regulator Mount. High Flow. Resettable |

Quick Release Couplings

| | | | | |
|--------|-------------------------------|---------|--|--|
| 237154 | HAR-CPN361 QUICK COUP L/H | W237154 | HARRIS FBA + QRC DKST S/S PIN 9/16" LH TORCH MOUNT | Combined flashback arrestor + quick release coupler. Torch mount |
| 237155 | HAR-CPN361 QUICK COUP R/H | W237155 | HARRIS FBA + QRC DKST S/S PIN 9/16" RH TORCH MOUNT | Combined flashback arrestor + quick release coupler. Torch mount |
| 237164 | D/HAR D.G.N.K. F.B.A.+Pin L/H | W237164 | HARRIS FBA + QRC DGKN S/S PIN 9/16" LH REG MOUNT | Combined flashback arrestor + quick release coupler. Regulator mount |
| 237165 | D/HAR D.G.N.K. F.B.A.+Pin R/H | W237165 | HARRIS FBA + QRC DGKN S/S PIN 9/16" RH REG MOUNT | Combined flashback arrestor + quick release coupler. Regulator mount |

IBEDA Flashback Arrestors

| | | | | |
|--------|---|---------|--|---|
| 236001 | HAR 0701-1228 Fba Dgn Unf 9/16" Lhurf 9/16" | W236001 | IBEDA FLASHBACK ARRESTOR DGN 9/16" LH REG MOUNT | Regulator Mount Cylinder or Pipeline. Normal Flow |
| 236002 | HAR 0701-1227 Fba Dgn Unf 9/16" Rhurf 9/16" | W236002 | IBEDA FLASHBACK ARRESTOR DGN 9/16" RH REG MOUNT | Regulator Mount Cylinder or Pipeline. Normal Flow |
| 236009 | HAR 0701-1230 Fba Dg91N Unf 9/16" Lhurf 9/16" | W236009 | IBEDA FLASHBACK ARRESTOR DG91N 9/16" LH HIGH FLOW REG MOUNT | Regulator Mount Cylinder or Pipeline. Ultra Flow |
| 236010 | HAR 0701-1231 Fba Dg91N Unf 9/16" Rhurf 9/16" | W236010 | IBEDA FLASHBACK ARRESTOR DG91N 9/16" RH HIGH FLOW REG MOUNT | Regulator Mount Cylinder or Pipeline. Ultra Flow |
| 236013 | U/FLOW T/MNT DG-UA91 LPG | W236013 | IBEDA FLASHBACK ARRESTOR DG91UA 9/16" LH HIGH FLOW TORCH MOUNT | Torch Mount. High Flow |
| 236014 | U/FLOW T/MNT DG-UA91 OXY | W236014 | IBEDA FLASHBACK ARRESTOR DG91UA 9/16" RH HIGH FLOW TORCH MOUNT | Torch Mount. High Flow |
| 236017 | FBA GG TORCH MNT LH 9/16 | W236017 | IBEDA FLASHBACK ARRESTOR GG 9/16" LH MACHINE TORCH MOUNT | Torch Mount. Machine Cutting |
| 236018 | FBA GG TORCH MNT RH 9/16 | W236018 | IBEDA FLASHBACK ARRESTOR GG 9/16" RH MACHINE TORCH MOUNT | Torch Mount. Machine Cutting |
| 236021 | HAR-0701-1236 FBA GT 8.0MM UNF 9/16 LH | W236021 | IBEDA FLASHBACK ARRESTOR GT 9/16" LH TORCH MOUNT | Torch Mount. Normal Flow |
| 236022 | HAR-0701-1237 FBA GT 8.0MM UNF 9/16 RH | W236022 | IBEDA FLASHBACK ARRESTOR GT 9/16" RH TORCH MOUNT | Torch Mount. Normal Flow |



| | | | | |
|--------------------------------|--|---------|---|--|
| 236037 | HAR 0701-1224 Fba Ds2000 Unf 9/16"Lh Unf 9/16" Lh. | W236037 | IBEDA FLASHBACK ARRESTOR DS2000 9/16" LH RESETTABLE HIGH FLOW REG MOUNT | Regulator Mount, High Flow. Resettable |
| 236038 | HAR 0701-1225 Fba Ds2000 Unf 9/16"Rh Unf 9/16" Rh. | W236038 | IBEDA FLASHBACK ARRESTOR DS2000 9/16" RH RESETTABLE HIGH FLOW REG MOUNT | Regulator Mount, High Flow. Resettable |
| Quick Release Couplings | | | | |
| 236086 | HAR-FBA NKST + QRC + PIN LH | W236086 | IBEDA FBA + QRC DKST BRASS PIN 9/16" LH TORCH MOUNT | Combined flashback arrestor + quick release coupler. Torch mount |
| 236087 | HAR-FBA NKST + QRC + PIN RH | W236087 | IBEDA FBA + QRC DKST BRASS PIN 9/16" RH TORCH MOUNT | Combined flashback arrestor + quick release coupler. Torch mount |
| 236088 | HAR-FBA DGNK + QRC + PIN LH | W236088 | IBEDA FBA + QRC DGNK BRASS PIN 9/16" LH REG MOUNT | Combined flashback arrestor + quick release coupler. Regulator mount |
| 236089 | HAR-FBA DGNK + QRC + PIN RH | W236089 | IBEDA FBA + QRC DGNK BRASS PIN 9/16" RH REG MOUNT | Combined flashback arrestor + quick release coupler. Regulator mount |
| ACCESSORIES | | | | |
| Hose Accessories | | | | |
| 237046 | HAR-OXY NUT 959-R | W237046 | HOSE CONNECTOR NUT 959-R 9/16" RH | |
| 237047 | HAR-ACCET NUT 959-L | W237047 | HOSE CONNECTOR NUT 959-R 9/16" LH | |
| 237057 | HAR-TAIL STEM 986-2 | W237057 | HOSE CONNECTION STEM 986-2 8MM | |
| Other | | | | |
| 237190 | HAR-RADIAL GUIDE R-69-A | W237190 | RADIAL GUIDE R-69-A | Fits Monarch 28 Cutting Torch |
| 237191 | HAR-RADIAL GUIDE R-69-3B | W237191 | RADIAL GUIDE R-69-3B | Fits Model 62 Cutting Torch |
| 237192 | HAR-MP28 CIRCLE CUTT ATT | W237192 | CIRCLE CUTTING ATTACHMENT MP-28 | Fits Monarch 28 Cutting Torch only |
| 237193 | HAR-COUNTERSINK CUT GUIDE | W237193 | COUNTERSINK CUTTIN GUIDE | Fits Models 62, 28 |
| 237194 | HAR-TUNGSTEN CENTRE PIN C/SINK GUIDE | W237194 | TUNGSTEN CENTRE PIN FOR COUNTER SINK GUIDE | |
| 237196 | HAR-6959-A NUT | W237196 | NUT 6959-A FOR R-69-A RADIAL GUIDE | Fits R-69-A Circle Cutting Attachment |
| 237197 | HAR-NUT6959-BB | W237197 | NUT 6959-BB FOR R-69-2B RADIAL GUIDE | Fits R-69-2B Circle Cutting Attachment |
| 237304 | HAR-MULTI PURPOSE SPANNER | W237304 | HARRIS MULTI PURPOSE SPANNER | For use on Harris Regulators & Torches |
| 237361 | HAR-MINER CUT OUTFIT BOX | W237361 | MINERS CUTTING OUTFIT BOX | |
| 231237 | HAR-TIP NUT 2859 MODEL28 | W231237 | TIP NUT 2859 FOR MONARCH 28 | For Monarch 28 |
| 231305 | D/HAR-SPARE TIP NUT 6259-B | W231305 | TIP NUT 6259-B FOR MODELS 49, 62 | For Models 49, 62 |
| 237003 | HAR Rail Preheating Twin Tip Holder | W237003 | RAIL PREHEATING TWIN TIP HOLDER | |
| KITS / OUTFITS | | | | |
| 230600 | HAR-PROFESS KIT 43-49 | W230600 | PROFESSIONAL KIT MODEL 43 | Heavy Duty Oxy/Acetylene Kit. Cutting up to 150mm & Welding up to |
| 230614 | HAR-HEAVY DUTY CUTTING KIT | W230614 | HEAVY DUTY CUTTING KIT MONARCH 28 | Miners Heavy Duty Cutting outfit. |